

Product: LUBRAX TOP TURBO

SDS ID: 1002401

Revision date: 14/08/2018

## SECTION 1: Identification of Product and Company

### 1.1. Product identifier

Product name : LUBRAX TOP TURBO  
Product code : 1002401  
Recommended use : Lubricant oil.

### 1.2. Company identification

Name of company : Petrobras Distribuidora S.A.  
Address : Rua Correia Vasques  
Rio de Janeiro  
Brasil  
20.211-140

SAC : 4090 1337 (capitais ou regiões metropolitanas) ou 0800 770 1337  
(demais regiões)

Emergency telephone number : 0800 0244433

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to GHS-BR (ABNT NBR 14725)

Skin corrosion/irritation, Category 3

Skin sensitisation, Category 1

### 2.2. Label elements

#### GHS-BR labelling

Hazard pictograms (GHS-BR) :



GHS07

Signal word (GHS-BR) : Warning

Hazard statements (GHS-BR) : H316 - Causes mild skin irritation  
H317 - May cause an allergic skin reaction.

Precautionary statements (GHS-BR)

Prevenção : P261 - Avoid breathing mist and vapours.  
P272 - Contaminated work clothing should not be allowed out of the workplace.

Resposta a Emergência : P302+P352 - IF ON SKIN: Wash with plenty of water and soap.  
P332+P313 - If skin irritation occurs: Get medical advice/attention.

Product: LUBRAX TOP TURBO

SDS ID: 1002401

Revision date: 14/08/2018

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

## 2.3. Other hazards not contributing to the classification

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to GHS-BR (ABNT NBR 14725)
Lubricating base oil	Industrial secret	80 - 85	Not classified
Additive package	Industrial secret	5 - 10	Skin Irrit. 2, H315 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Viscometric modifier agent	Industrial secret	5 - 10	Not classified
Additive package	Industrial secret	2 - 3	Skin Irrit. 3, H316 Skin Sens. 1, H317
Viscometric modifier agent	Industrial secret	0,1 - 1	Not classified

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures general : People with over sensibility problems are not allowed to work or be exposed to the product.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Be careful, the product may remain trapped under clothing, footwear or a wrist-watch. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth out with water.

Product: LUBRAX TOP TURBO

SDS ID: 1002401

Revision date: 14/08/2018

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after inhalation : May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing.
- Symptoms/effects after skin contact : Causes mild skin irritation. Itching. Cracking of the skin. Prolonged or repeated contact may cause skin to become dry.
- Symptoms/effects after eye contact : May cause eye irritation.
- Symptoms/effects after ingestion : None under normal conditions.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Water spray. dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>).
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : In case of fire and/or explosion do not breathe fumes.
- Explosion hazard : No direct explosion hazard.
- Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

#### 5.3. Advice for firefighters

- Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Do not enter fire area without proper protective equipment, including respiratory protection.
- Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid contact with skin and eyes. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

##### 6.1.1. For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment.

**Product: LUBRAX TOP TURBO**

SDS ID: 1002401

Revision date: 14/08/2018

Emergency procedures : Evacuate area. Only qualified personnel equipped with suitable protective equipment may intervene. Notify fire brigade and environmental authorities.

**6.1.2. For emergency responders**

Protective equipment : Self-contained breathing apparatus. Total impervious protective suits, gloves, and boots must be worn to prevent any contact with the product. Equip cleanup crew with proper protection.

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

**6.2. Environmental precautions**

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

**6.3. Methods and material for containment and cleaning up**

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Clean contaminated surfaces with an excess of water. Absorb spilled material with sand or earth.

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling**

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Contaminated work clothing should not be allowed out of the workplace. Keep only in original container. Do not handle until all safety precautions have been read and understood.

Hygiene measures : Always wash hands after handling the product. Take off immediately all contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product.

**7.2. Conditions for safe storage, including any incompatibilities**

Technical measures : Store locked up.

Storage conditions : Keep cool. Protect from sunlight.

Packaging materials : Store always product in container of same material as original container.

## SECTION 8: Exposure controls/personal protection

**8.1. Control parameters**

Exposure limit for mists/aerosols that	Name	TWA - (ACGIH, 2018)

Product: LUBRAX TOP TURBO

SDS ID: 1002401

Revision date: 14/08/2018

may form while using this product:

Mineral oil, excluding metal working fluids - pure, highly and severely refined

5 mg/m<sup>3</sup>

## 8.2. Exposure controls

Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

## 8.3. Personal protective equipment

Personal protective equipment : Wear recommended personal protective equipment.

Hand protection : Nitrile rubber gloves.

Eye protection : Wear security glasses which protect from splashes.

Skin and body protection : Chemical resistant safety shoes. Long sleeved protective clothing. Chemical resistant apron.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear and Bright Liquid.

Colour : light brown

Odour : Typical of lubricant oil

Odour threshold : Not available

pH : Not available

Melting point : Not available

Freezing point : Not available

Boiling point : Not available

Flash point : 224 °C (COC)

Relative evaporation rate (butylacetate=1) : Not available

Flammability (solid, gas) : Not available

Explosive limits : Not available

**Product: LUBRAX TOP TURBO**

SDS ID: 1002401

Revision date: 14/08/2018

Vapour pressure	: Not available
Relative vapour density at 20 °C	: Not available
Relative density	: 0,88 (20/4 °C)
Solubility	: Not available
Log Kow	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
Kinematic Viscosity (40 °C)	: 94 cSt
Viscosity, dynamic	: Not available

## 9.2. Other information

Not available

## SECTION 10: Stability and reactivity

Chemical stability	: Stable under normal conditions of use
Conditions to avoid	: Extremely high or low temperatures. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Hazardous decomposition products	: No hazardous decomposition products known at room temperature
Incompatible materials	: Consult supplier(s) of these materials for specific recommendations
Possibility of hazardous reactions	: None under normal use
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Product information

Acute toxicity (oral)	: Not available
Acute toxicity (dermal)	: Not available
Acute toxicity (inhalation)	: Not available
Skin corrosion/irritation	: Causes mild skin irritation.
Serious eye damage/irritation	: Not available
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not available
Carcinogenicity	: Not available

**Product: LUBRAX TOP TURBO**

SDS ID: 1002401

Revision date: 14/08/2018

Reproductive toxicity : Not available  
STOT-single exposure : Not available  
STOT-repeated exposure : Not available  
Aspiration hazard : Not available

## 11.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing.  
Symptoms/effects after skin contact : Causes mild skin irritation. Itching. Cracking of the skin. Prolonged or repeated contact may cause skin to become dry.  
Symptoms/effects after eye contact : May cause eye irritation.  
Symptoms/effects after ingestion : None under normal conditions.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Product information

Acute aquatic toxicity : Not available  
Chronic aquatic toxicity : Not available

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

Waste treatment methods : Must follow special treatment according to local regulation.  
Sewage disposal recommendations : Disposal must be done according to official regulations.  
Product/Packaging disposal recommendations : Disposal must be done according to official regulations.  
Additional information : Do not re-use empty containers.

Product: LUBRAX TOP TURBO

SDS ID: 1002401

Revision date: 14/08/2018

## SECTION 14: Transport information

### 14.1 National and international Regulations

Not classified as dangerous for transport in the different modes, but may be harmful in the event of an accident. For further information, please consult Section 2 in this MSDS.

#### Overland transport

Resolução ANTT nº 5232, de 14 de dezembro de 2016 - Aprova as Instruções Complementares ao Regulamento Terrestre do Transporte de Produtos Perigosos, e dá outras providências.

#### Transport by sea

Direction of Ports and Coasts (Transport in Brazilian waters)

NORMAM - Maritime Authority Standards

NORMAM 01 / DPC: Employed boats in Navigation Offshore

NORMAM 02 / DPC: Employed boats in Inland Navigation

NORMAM 05 / DPC: Material Approval Standards of Maritime Authority

IMO - "International Maritime Organization" (Organização Marítima Internacional)

International Maritime Dangerous Goods Code (IMDG Code).

#### Air transport

IATA - "International Air Transport Association" (Associação Internacional de Transporte Aéreo)

ANAC - Resolution nº 129/ANAC of December 8, 2009

RBAC nº 175 (Brazilian Regulation of Civil Aviation) - Transport of hazardous articles in civil aircraft

IS N° 175-001 - INSTRUÇÃO SUPLEMENTAR - IS

International Civil Aviation Organization - Doc 9284-NA/905

Dangerous Goods Regulation (DGR).

Product: LUBRAX TOP TURBO

SDS ID: 1002401

Revision date: 14/08/2018

### 14.2 Other information

No additional information available

## SECTION 15: Regulatory information

Brazil Local Regulations

: Norma ABNT NBR 14725.

Decreto Federal nº 2.657, de 3 de julho de 1998 - Promulga a Convenção nº 170 da OIT, relativa à Segurança na Utilização de Produtos Químicos no Trabalho, assinada em Genebra, em 25 de junho de 1990.

Portaria nº 229, de 24 de maio de 2011 - Altera a Norma Regulamentadora nº 27

Res. ANTT nº 5232, de 14 de dezembro de 2016 - Aprova as Instruções Complementares ao Regulamento Terrestre do Transporte de Produtos Perigosos, e dá outras providências.

## SECTION 16: Other information

No additional information available

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*