

Product: LUBRAX EXTRA TURBO

SDS ID: 1002007

Revision date: 14/08/2018

## SECTION 1: Identification of Product and Company

### 1.1. Product identifier

Product name : LUBRAX EXTRA TURBO  
Product code : 1002007  
Recommended use : Lubricant oil.

### 1.2. Company identification

Name of company : Petrobras Distribuidora S.A.  
Address : Rua Correia Vasques  
Rio de Janeiro  
Brasil  
20.211-140

SAC : 4090 1337 (capitais ou regiões metropolitanas) ou 0800 770 1337  
(demais regiões)

Emergency telephone number : 0800 0244433

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to GHS-BR (ABNT NBR 14725)

Skin corrosion/irritation, Category 3

### 2.2. Label elements

#### GHS-BR labelling

Signal word (GHS-BR) : Warning  
Hazard statements (GHS-BR) : H316 - Causes mild skin irritation  
Precautionary statements (GHS-BR)  
Resposta a Emergência : P332+P313 - If skin irritation occurs: Get medical advice/attention.

### 2.3. Other hazards not contributing to the classification

No additional information available

## SECTION 3: Composition/information on ingredients

Product: LUBRAX EXTRA TURBO

SDS ID: 1002007

Revision date: 14/08/2018

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to GHS-BR (ABNT NBR 14725)
Lubricating base oil	Industrial secret	40 - 50	Not classified
Lubricating base oil	Industrial secret	30 - 40	Not classified
Viscometric modifier agent	Industrial secret	10 - 15	Not classified
Additive package	Industrial secret	5 - 10	Skin Irrit. 2, H315 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Viscometric modifier agent	Industrial secret	0,1 - 1	Not classified

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Be careful, the product may remain trapped under clothing, footwear or a wrist-watch.

First-aid measures after eye contact : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth out with water.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing.

Symptoms/effects after skin contact : Causes mild skin irritation. Itching.

Symptoms/effects after eye contact : May cause eye irritation.

Symptoms/effects after ingestion : None under normal conditions.

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically

Product: LUBRAX EXTRA TURBO

SDS ID: 1002007

Revision date: 14/08/2018

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray, dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>).

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : In case of fire and/or explosion do not breathe fumes.

Explosion hazard : No direct explosion hazard.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

### 5.3. Advice for firefighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Do not enter fire area without proper protective equipment, including respiratory protection.

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Evacuate area. Only qualified personnel equipped with suitable protective equipment may intervene. Notify fire brigade and environmental authorities.

#### 6.1.2. For emergency responders

Protective equipment : Self-contained breathing apparatus. Equip cleanup crew with proper protection.

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

**Product: LUBRAX EXTRA TURBO**

SDS ID: 1002007

Revision date: 14/08/2018

### 6.3. Methods and material for containment and cleaning up

- For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
- Methods for cleaning up : Clean contaminated surfaces with an excess of water.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.
- Precautions for safe handling : Keep only in original container. Do not handle until all safety precautions have been read and understood.
- Hygiene measures : Always wash hands after handling the product. Remove contaminated clothes. Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Keep in a cool, well-ventilated place away from heat.
- Storage conditions : Keep cool. Protect from sunlight.
- Packaging materials : Store always product in container of same material as original container.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Exposure limit for mists/aerosols that may form while using this product:	Name	TWA - (ACGIH, 2018)
	Mineral oil, excluding working fluids - poorly and mildly refined	5 ppm

### 8.2. Exposure controls

- Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

### 8.3. Personal protective equipment

- Personal protective equipment : Wear recommended personal protective equipment.
- Hand protection : Protective gloves.
- Eye protection : Wear security glasses which protect from splashes.
- Skin and body protection : Wear suitable protective clothing.

Product: LUBRAX EXTRA TURBO

SDS ID: 1002007

Revision date: 14/08/2018

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear Liquid.
Colour	: Yellowish to brown
Odour	: odourless
Odour threshold	: Not available
pH	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flash point	: 228 °C (COC)
Relative evaporation rate (butylacetate=1)	: Not available
Flammability (solid, gas)	: Not available
Explosive limits	: Not available
Vapour pressure	: Not available
Relative vapour density at 20 °C	: Not available
Relative density	: 0,89 (20/4 °C)
Solubility	: Not available
Log Kow	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
Kinematic Viscosity (40 °C)	: 115 cSt
Viscosity, dynamic	: Not available

Product: LUBRAX EXTRA TURBO

SDS ID: 1002007

Revision date: 14/08/2018

9.2. Other information  
Not available

## SECTION 10: Stability and reactivity

Chemical stability	: Stable under normal conditions of use
Conditions to avoid	: Extremely high or low temperatures. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Hazardous decomposition products	: No hazardous decomposition products known at room temperature
Incompatible materials	: Consult supplier(s) of these materials for specific recommendations
Possibility of hazardous reactions	: None under normal use
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Product information

Acute toxicity (oral)	: Not available
Acute toxicity (dermal)	: Not available
Acute toxicity (inhalation)	: Not available
Skin corrosion/irritation	: Causes mild skin irritation.
Serious eye damage/irritation	: Not available
Respiratory or skin sensitisation	: Not available
Germ cell mutagenicity	: Not available
Carcinogenicity	: Not available
Reproductive toxicity	: Not available
STOT-single exposure	: Not available
STOT-repeated exposure	: Not available
Aspiration hazard	: Not available

#### Ingredients information: Lubricating base oil

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

#### Ingredients information: Lubricating base oil

LD50 oral rat	> 25000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

Product: LUBRAX EXTRA TURBO

SDS ID: 1002007

Revision date: 14/08/2018

## 11.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing.

Symptoms/effects after skin contact : Causes mild skin irritation. Itching.

Symptoms/effects after eye contact : May cause eye irritation.

Symptoms/effects after ingestion : None under normal conditions.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Product information

Acute aquatic toxicity : Not available

Chronic aquatic toxicity : Not available

<b>Ingredients information:</b> Lubricating base oil	
LC50 other aquatic organisms 1	> 1000 mg/l

<b>Ingredients information:</b> Lubricating base oil	
LC50 other aquatic organisms 1	> 1000 mg/l
EC50 Daphnia 1	> 1000 mg/l

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

Waste treatment methods : Must follow special treatment according to local regulation.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers.

Product: LUBRAX EXTRA TURBO

SDS ID: 1002007

Revision date: 14/08/2018

## SECTION 14: Transport information

### 14.1 National and international Regulations

Not classified as dangerous for transport in the different modes, but may be harmful in the event of an accident. For further information, please consult Section 2 in this MSDS.

#### Overland transport

Resolução ANTT nº 5232, de 14 de dezembro de 2016 - Aprova as Instruções Complementares ao Regulamento Terrestre do Transporte de Produtos Perigosos, e dá outras providências.

#### Transport by sea

Direction of Ports and Coasts (Transport in Brazilian waters)

NORMAM - Maritime Authority Standards

NORMAM 01 / DPC: Employed boats in Navigation Offshore

NORMAM 02 / DPC: Employed boats in Inland Navigation

NORMAM 05 / DPC: Material Approval Standards of Maritime Authority

IMO - "International Maritime Organization" (Organização Marítima Internacional)

International Maritime Dangerous Goods Code (IMDG Code).

#### Air transport

IATA - "International Air Transport Association" (Associação Internacional de Transporte Aéreo)

ANAC - Resolution nº 129/ANAC of December 8, 2009

RBAC nº 175 (Brazilian Regulation of Civil Aviation) - Transport of hazardous articles in civil aircraft

IS N° 175-001 - INSTRUÇÃO SUPLEMENTAR - IS

International Civil Aviation Organization - Doc 9284-NA/905

Dangerous Goods Regulation (DGR).

Product: LUBRAX EXTRA TURBO

SDS ID: 1002007

Revision date: 14/08/2018

## 14.2 Other information

No additional information available

## SECTION 15: Regulatory information

Brazil Local Regulations

: Norma ABNT NBR 14725.

Decreto Federal nº 2.657, de 3 de julho de 1998 - Promulga a Convenção nº 170 da OIT, relativa à Segurança na Utilização de Produtos Químicos no Trabalho, assinada em Genebra, em 25 de junho de 1990.

Portaria nº 229, de 24 de maio de 2011 - Altera a Norma Regulamentadora nº 27

Res. ANTT nº 5232, de 14 de dezembro de 2016 - Aprova as Instruções Complementares ao Regulamento Terrestre do Transporte de Produtos Perigosos, e dá outras providências.

## SECTION 16: Other information

No additional information available

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*